



Prislista Avid 2026-09-01



CONTENTS

TURNTABLES
TONEARMS
CARTRIDGES
PHONOSTAGES
AMPLIFIERS
LOUDSPEAKERS
SUPPORTS
ACCESSORIES



CONFIDENTIAL

TURNTABLES

INGENIUM SE



INGENIUM SE

SKU	EAN	FINISH	Brutto sek
AVTTINGSEA	5060992605794	OPTION A: Black (Inc Arm & Std PSU)	41.000:-
AVTTINGSEB	5060992605817	OPTION B: Including Metal Platter Upgrade	46.500:-
AVTTINGSEC	5060992605831	OPTION C: Inc. Metal Platter & Electronic PSU Upgrade	63.000:-
AVTTINGMPU	5060992601093	Metal Platter Upgrade	7.700:-
AVTTINGSPU	5060992603882	Std PSU Upgrade for all previous Ingenium models	16.500:-
AVTTINGSEUG	5060992605855	Electronic PSU Upgrade for Ingenium SE	16.500:-
AVTTINGGPU	5060992603912	Electronic PSU Upgrade for all previous models	23.200:-

Ingenium SE marks a significant evolution, with a newly developed motor system, improved tonearm, but retaining a simple straightforward installation.

SPECIFICATIONS

DRIVE	BELT DRIVE
SPEEDS	33.3 & 45.0 RPM
PLATTER MASS	2.5KG (Std.) 5.5KG (Upgrade)
BEARING	INVERTED STAINLESS STEEL
THRUST POINT	TUNGSTEN CARBIDE/SAPPHIRE
SUSPENSION	ELASTOMER
TONEARM (INCLUDED)	AVID TA-3
MOTOR	15mNm AC synchronous
VOLTAGE INPUT	100-240VAC 50/60Hz 4 Watts Max.
DIMENSIONS	370 x 305 x 130mm (WxDxH overall)
NET WEIGHT	5.9KG (13LB)



TURNTABLES

RELVEO



RELVEO

SKU	EAN	FINISH	
AVTTRELBARE	5060992605220	Grey Metallic	82.250:-
AVTTRELALTU	5060992605244	Grey Metallic (Inc ALTUS tonearm)	99.500:-

Relveo seamlessly fuses the precision engineering of its acclaimed predecessors with the unmistakable visual identity of our iconic Acutus flagship.

SPECIFICATIONS

DRIVE	BELT DRIVE
SPEEDS	33.3 & 45.0 RPM
PLATTER MASS	7.0KG
BEARING	INVERTED STAINLESS STEEL
THRUST POINT	TUNGSTEN CARBIDE/SAPPHIRE
SUSPENSION	ELASTOMER
TO NEARM (OPTIONAL)	AVID ALTUS v2
CARTRIDGE (OPTIONAL)	AVID IONIC
MOTOR	12mNm AC synchronous
VOLTAGE INPUT	100-240VAC 50/60Hz 4 Watts Max.
DIMENSIONS	440 x 370 x 200mm (WxDxH overall)
NET WEIGHT	13.3KG (30LB)



TURNTABLES

ACUTUS



ACUTUS - ALL MODELS

MODEL	SKU	EAN	FINISH	
DARK IRON (STD)	AVTTACDIS	5060992604728	Black & Iron Gray	163.000:-
DARK IRON (UPGRADED)	AVTTACDIUP	5060992604735	Black & Iron Gray	210.000:-
CLASSIC	AVTTACCL	5060992600485	Black & Chrome	268.000:-
REFERENCE	AVTTACRF	5060992600348	Black & Chrome	466.000:-
MONO	AVTTACMO	5060992600409	Black & Chrome	676.000:-

BUNDLE EXAMPLES (inc. discounts)

DARK IRON - NEXUS - BORON	AVTTACDISNB	5060992605206	Black & Iron Gray	268.900:-
CLASSIC - NEXUS - RUBY	AVTTACCLNR	5060992604063	Black & Chrome	405.900:-

They said perfection was impossible, strive for excellence and settle for a job well done. Acutus was born from twenty years of chasing perfection and remains almost unchanged today after a quarter century in production. Launching not only the company, but a design philosophy that is in everything we do today.

SPECIFICATIONS

DRIVE	TWIN BELT DRIVE
SPEEDS	33.3 & 45.0 RPM
PLATTER MASS	ALUMINIUM 10 KG
BEARING	INVERTED STAINLESS STEEL
THRUST POINT	TUNGSTEN CARBIDE/SAPPHIRE
SUSPENSION	3 POINT SPRING Vertical 3.2Hz, Lateral 4.5Hz
ADAPTERS AVAILABLE	YES: SINGLE OR TWIN TONEARMS
POWER SUPPLY	DSP VARI-SPEED CONTROL UNIT
MOTOR	24V 140mNm AC Synchronous
VOLTAGE INPUT	100-240VAC 50/60Hz 4 Watts Max.
DIMENSIONS	Turntable (overall) 460 x 400 x 210mm (WxDxH)
NET WEIGHT	19.0Kg (42lb) turntable only

OPTIONS

NEXUS



Add NEXUS -10% off arm

REFERENCE RUBY



Add RUBY -6% off Cartridge

ALTUS



Add ALTUS -5% off arm

BORON



Add BORON -4%

IONIC



Add IONIC -2%

Discounts only apply when bundled with a turntable.

TONEARMS

NEXUS



ALTUS



MODEL	SKU	EAN	FINISH	
ALTUS V2	AVTAALT	5060992601529	Black & Chrome	27.900:-
NEXUS V2	AVTANEX	5060992601536	Black & Chrome	69.900:-

Universal tonearm designed to compliment all cartridges on an AVID turntable, but will happily fit onto any other turntable brand.

CARTRIDGES

REFERENCE RUBY



BORON



IONIC



MODEL	SKU	EAN	FINISH	
IONIC	AVCARTION	5060992600812	Silver & Gold	35.000:-
BORON	AVCARTBOR	5060992600829	Black & Gold	61.000:-
REFERENCE RUBY	AVCARTRU	5060992600836	Red & Gold	105.000:-

A range of low output Moving Coil cartridges, designed and 95% manufactured inhouse by AVID.

PHONOSTAGES

PELLAR II



PULSUS II



VELSONIC



MODEL	SKU	EAN	FINISH	
PELLAR v2	AVPHPEL2	5060992605510	Black	23.200:-
PULSUS v2	AVPHPUL2	5060992605572	Black	46.600:-
VELSONIC	AVPHVELBLK	5060992605459	Black	186.500:-
VELSONIC	AVPHVELSIL	5060992605466	Silver	186.500:-

Phono stages designed to fully exploit what vinyl reproduction has to offer and the ability to be used with MC and MM cartridges.

AMPLIFIERS - INTEGRATED

ACCENT



INTEGRA II



MODEL	SKU	EAN	FINISH	
ACCENT	AVAMPACBLK	5060992602595	Black	75.500:-
ACCENT	AVAMPACSIL	5060992602601	Silver	75.500:-
INTEGRA II	AVAMPINBLK	5060992602533	Black	175.000:-
INTEGRA II	AVAMPINSIL	5060992602540	Silver	175.000:-

AMPLIFIERS - PRE - POWER

OPUS PRE



OPUS STEREO POWER



MODEL	SKU	EAN	FINISH	
OPUS PRE	AVAMPOPPRBLK	5060992605633	Black	245.000:-
OPUS PRE	AVAMPOPPRSIL	5060992605640	Silver	245.000:-
OPUS STEREO POWER	AVAMPOPPWBLK	5060992605695	Black	233.000:-
OPUS STEREO POWER	AVAMPOPPWSIL	5060992605701	Silver	233.000:-

Our unified range of amplifiers offer distinctive design, world-beating electronics, simplicity, ease of operation and a uniquely realistic powerful sound.

LOUDSPEAKERS

EVO FOUR II



FREQUENCY RESPONSE:	43Hz - 20KHz ±3dB
SENSITIVITY:	87dB @2.83V/1m
RECOMMENDED POWER:	30 - 150W
IMPEDANCE:	8Ω
NET WEIGHT:	15 KG
PACKAGING	INDIVIDUALLY

EVO THREE



FREQUENCY RESPONSE:	32Hz - 20KHz ±3dB
SENSITIVITY:	87dB @2.83V/1m
RECOMMENDED POWER:	40 - 200W
IMPEDANCE:	4Ω
NET WEIGHT:	33 KG
PACKAGING	INDIVIDUALLY

EVO TWO



FREQUENCY RESPONSE:	35Hz - 22KHz ±3dB
SENSITIVITY:	88dB @2.83V/1m
RECOMMENDED POWER:	40 - 400W
IMPEDANCE:	6Ω
NET WEIGHT:	100 KG
PACKAGING	INDIVIDUALLY

REFERENCE FOUR



FREQUENCY RESPONSE:	30Hz - 22KHz ±3dB
SENSITIVITY:	88dB @2.83V/1m
RECOMMENDED POWER:	40 - 300W
IMPEDANCE:	6.5Ω
NET WEIGHT:	40 KG
PACKAGING	THREE BOXES

REFERENCE THREE



FREQUENCY RESPONSE:	35Hz - 22KHz ±3dB
SENSITIVITY:	88dB @2.83V/1m
RECOMMENDED POWER:	40 - 400W
IMPEDANCE:	6Ω
NET WEIGHT:	100 KG
PACKAGING	FOUR BOXES

REFERENCE TWO



FREQUENCY RESPONSE:	24Hz - 22KHz ±3dB
SENSITIVITY:	90dB @2.83V/1m
RECOMMENDED POWER:	80 - 1200W
IMPEDANCE:	4Ω
NET WEIGHT:	200 KG
PACKAGING	TWO CRATES

MODEL (Pairs)	SKU	EAN	FINISH	
EVO FOUR II	AVSPKEFBLK	5060992605572	Black	186.000:-
EVO FOUR II	AVSPKEFOA	5060992605589	Oak	186.000:-
EVO FOUR II	AVSPKEFWN	5060992605596	Walnut	186.000:-
EVO FOUR II STANDS	AVSPKEFSTN	5060992605602	Black	35.000:-
EVO THREE	AVSPKETBLK	5060992601932	Black	233.000:-
EVO THREE	AVSPKETWHT	5060992601949	White	233.000:-
EVO TWO	AVSPKETOBLK	5060992601901	Black	431.000:-
EVO TWO	AVSPKETOWHT	5060992601918	White	431.000:-
REFERENCE FOUR (Inc. Stands)	AVSPKRFBK	5060992601857	Black	350.000:-
REFERENCE THREE (Inc. Stands)	AVSPKRTBLK	5060992601833	Black & Chrome	932.000:-
REFERENCE TWO	AVSPKRTWBLK	5060992601819	Black & Chrome	2.331.000:-

Drawing on decades of expertise, AVID has applied its principles to loudspeaker design and developed a unique method to control and eliminate the vibration commonly found in other loudspeakers. This offers the listener an unfatiguing clarity of sound which within moments of listening you will be in no doubt, an AVID loudspeaker is in a class of its own.

SUPPORTS

PLATFORM



Platform beneath any audio equipment dramatically reduces vibration, producing an instantaneous improvement to your listening enjoyment.

ISOPUK



Highly effective at absorbing vibration from within your equipment, typically from mains transformers. Supplied in 6 unit packs.

ISORAK



Each shelf is priced individually and you simply add the four legs of your choice to make a shelf. The base layer should always be ordered with the four 135mm spiked legs.

MODEL	SKU	EAN	FINISH	
PLATFORM	AVSUPBLK	5060992600058	Black	6.000:-
PLATFORM	AVSUPLOAK	5060992600065	Antique Oak	6.000:-
ISOPUK 5 (SUPPLIED 6 PACK)	AVSUPISOPF	15060992600126	Black & Silver	1.070:-
ISOPUK 7 (SUPPLIED 6 PACK)	AVSUPISOPS	15060992600133	Black & Silver	1.070:-
ISORAK SHELF ONLY	AVSISORSBK	5060992600157	Black	5.400:-
ISORAK SHELF ONLY	AVSISORSOK	5060992600140	Antique Oak	5.400:-
ISORAK BASE POLE (Inc. Spike)	AVSISORPBA	5060992603585	Black	5.400:-
ISORAK 135 POLE	AVSISORPA	5060992603387	Black	5.400:-
ISORAK 165 POLE	AVSISORPB	5060992603424	Black	5.400:-
ISORAK 205 POLE	AVSISORPC	5060992603462	Black	5.400:-
ISORAK 245 POLE	AVSISORPD	5060992603509	Black	6.100:-
ISORAK 305 POLE	AVSISORPE	5060992603547	Black	6.900:-

Our supports aim to eliminate the adverse effects of vibration leaving you with colour free, dynamic realism for every stage of musical enjoyment.


ACCESSORIES

ALIGNMENT GAUGE



The mirrored surface improves accuracy by eliminating sighting errors through the parallax effect and enhancing lighting for precise adjustments. Gauges are supplied in 10 unit packs.

LEVEL 45



While other levels offer the ability to level a flat surface, most cannot level the platter correctly, especially in suspended designs. Level 45 is supplied in 5 unit packs.

MODEL	SKU	EAN	FINISH	Brutto sek
UNIVERSAL GAUGE	AVAGUNIV	5060992600089	Mirror	1.295:-
SME DEDICATED GAUGE	AVAGSME	5060992600072	Mirror	1.295:-
REGA DEDICATED GAUGE	AVAGREGA	5060992600096	Mirror	1.295:-
LINN DEDICATED GAUGE	AVAGLINN	5060992600102	Mirror	1.295:-
LEVEL 45	AVLEVEL	5060992600119	Silver	1.850:-

Inexpensive but invaluable, these little tools make a big difference to any setup. Gauges are supplied in 5 unit packs. Level 45 is supplied in 5 unit packs.

AVID HiFi Prislista 2026-09-01



www.avidhifi.com

Audioactive AB - Marketenterivägen 25 - 352 36 Växjö

Tel: 0470 469 90

Mobil Christian: 0703 469 590 Mobil Hans: 0708 469 990

www.audioactive.se